

INDEX

- Abies, 174, 178, 182, 197
 — balsamea, 173
Abutilon crispum, 316
 — imberbe, 316
 — trichodium, 316
Acanthaceae: Heterostyly in *Oplonia*, 382-385
Acanthaceae, 382, 383
Acer, 179, 200
 — rubrum, 174
 — saccharum, 173, 174
 — spicatum, 194
Acicalyptus, 396, 399
Acmena, 396, 399
 — smithii, 396
Acontias helleborifolius, 287
Acrodiclidium mahuba, 518
Adiantum, 464
Afrostyrax, 8, 16-18, 20
 — kamerunensis, 16-18, 23, 25, 26
 — lepidophyllus, 17, 18, 23, 27
Agapetes, 495
Agarista, 477-483, 485-487, 492, 493, 495, 497-500
 — mexicana var. mexicana, 495
 — — var. pinetorum, 495, 499
 — populifolia, 495, 499
Agauria, 477-487, 492, 495, 497-500
AIELLO, ANNETTE. A Reexamination of *Portlandia* (Rubiaceae) and Associated Taxa, 38-126
Akebia, 303, 305-308, 313
 — chingshuiensis, 306
 — clematifolia, 309
 — lobata, 309
 — — β pentaphylla, 312
 — longeracemosa, 306
 — micrantha, 310
 — \times pentaphylla, 306-312
 — — var. diplochlamys, 312
 — — var. integrifolia, 312
 — — f. diplochlamys, 312
 — quercifolia, 309
 — quinata, 305-312
 — — var. diplochlamys, 311
 — — var. leucantha, 311
 — — var. polyphylla, 310
 — — var. yiehi, 311
 — — f. diplochlamys, 311
 — — f. viridiflora, 311
 — — \times A. trifoliata, 311
 — sempervirens, 309
 — trifoliata, 306-312
Akebia trifoliata subsp. *australis*, 309
 — — var. *australis*, 309
 — — var. *honanensis*, 309
 — — subsp. *trifoliata*, 309
 — — var. *integrifolia*, 309
 — — var. *trifoliata*, 309
 — — var. *australis*, 309, 310
 — — var. *honanensis*, 309
 — — var. *integrifolia*, 309
Alniphyllum, 8, 14, 15, 21
 — eberhardtii, 12, 13, 23, 26
 — fortunei, 12, 13, 23
 — hainanense, 12, 13, 23
 — pterospermum, 12, 13, 23, 26
Alnus, 174, 199, 200, 203
Alocasia macrorrhiza, 289
Amaranthaceae, 174, 216, 224
Amaryllidaceae, 290, 291
Amaryllis, 292
 — atamasco, 295
 — aurea, 296
 — minuta, 296
 — punicea, 293
 — tubiflora, 296
 — tubispatha, 296
Amborella, 332
Ambrosia, 174
American Grasses, Notes on, 320, 321
Amsinckia, 377
Anacardiaceae, 327
Anatomy and Venation Patterns of the Styracaceae, Leaf, 8-37
Anatomy of Bahamian Species of Bursera (Burseraceae), Systematic, 163-165
Andromeda, 477, 493, 494
 — mexicana, 495
 — populifolia, 495
Andromedae (Ericaceae), Generic Relationships in the, 477-503
Aneilema floribunda, 297
Aniba, 517
Aniseia, 220, 237
 — martinicensis, 237, 238, 269
 — salicifolia, 238
 — syringifolia, 257
 — uniflora, 237, 238
Anogramma, 465
Anthopteropsis, 494
Anthurium, 273-276, 280, 282
 — acaule, 274-276, 279, 280, 282
 — affine, 274
 — andersonii, 276
 — andraeanum, 276

- Anthurium* 'Andreanum', 276
 — *angustatum*, 274
 — *barbadosense*, 276, 283
 — *brachygonatum*, 276
 — *commutatum*, 276, 277
 — *concinnum*, 276, 277
 — *cordatum*, 274, 276–280
 — *cordifolium*, 277, 279
 — *costatum*, 277, 279
 — *crassinervium*, 274
 — *digitatum*, 274
 — *dominicense*, 277
 — *dussii*, 277, 278, 283
 — *elegans*, 278
 — *fallax*, 277, 278
 — *fissum*, 278
 — *fortunatum*, 278
 — *glaucum*, 274
 — *gracile*, 274, 278
 — — subsp. *Belangeri*, 278, 279
 — *grandifolium*, 277, 279, 281–283
 — *guildingii*, 277, 279
 — *hahnii*, 279
 — *hookeri*, 275, 279, 280, 282
 — — var. *longecuneatum*, 275, 280
 — *huegelii*, 275, 279, 280
 — *isertianum*, 277, 279, 280
 — *lanceolatum*, 274, 275, 280–282
 — *leucocarpum*, 283
 — *longispathum*, 281
 — *macrophyllum*, 274, 281, 282
 — *martinicense*, 281, 282
 — *mycrostachyum*, 274
 — *myosuroides*, 274
 — *neglectum*, 280, 282
 — *ottonianum*, 274
 — *palmatum*, 274, 276, 278
 — *pedatum*, 274, 278
 — *quinquenervium*, 274
 — *scandens*, 281–283
 — — var. *angustifolia*, 283
 — — var. *leucocarpum*, 283
 — — var. *violaceum*, 282, 283
 — *scolopendrinum*, 278
 — — var. *belangeri*, 278
 — *swartzianum*, 283
 — *undatum*, 274
 — *violaceum*, 274, 283
 — — f. *angustifolia*, 282, 283
 — *willdenowii*, 276, 277, 280, 281, 283
 — *wullschlaegelii*, 279, 283
Aphanomyrtus, 396, 399
Apodytes, 347
Aquifoliaceae, 332, 335
Araceae of the Lesser Antilles, Nomenclatural Notes on the, 272–289
Araceae, 272–289
Araliaceae, 327
Arbutus, 494
Arcterica, 477–484, 492, 497
 — *nana*, 484
Arctostaphylos, 494
 — *Uva-ursi*, 193
 — — var. *coactilis*, 193
Arctoëus, 493
Arenaria, 188, 216, 217
 — *capillaris*, 216, 217
 — *caroliniana*, 217
 — *dawsonensis*, 182, 187, 188, 217
 — *groenlandica*, 216, 217
 — *humifusa*, 217
 — *lanuginosa*, 217
 — *laricifolia*, 216
 — *laterifolia*, 216, 217
 — *macrocarpa*, 216
 — *macrophylla*, 216, 217
 — *marcescens*, 216
 — *patula*, 188, 217
 — *peploides*, 216
 — *Rossii*, 188, 217
 — *rubella*, 216, 217
 — *sajanensis*, 217
 — *stricta*, 188, 217
 — *uliginosa*, 188
Argyreia bracteata, 267
Argyreia campanulata, 266
 — *malabarica*, 269
 — *nervosa*, 220, 267, 269
 — *speciosa*, 267, 269
 — *tiliaeefolia*, 266
Ari sagittifolii, 289
Aristida, 321
 — *parishii*, 320
 — — wrightii var. *parishii*, 320, 321
Arsenococcus, 484, 485
 — *frondosa*, 485
Artemisia, 179, 198
Arum arborescens, 286
 — *cocasia*, 284
 — *esculentum*, 284
 — *lingulatum*, 286, 287
 — *peregrinum*, 289
 — *sagittaefolium*, 289
 — *seguine*, 285
Asplundia rigida, 299
Atichia millardetii, 93

 Bahamas, Caicos and Turks Islands, New Species and Varieties from the, 154–162
 Bahamian Species of *Bursera* (Burseraceae), Systematic Anatomy of, 163–165
Barringtonia, 147
 — *asiatica*, 147

- Barringtonia calyprata**, 147
Batatas paniculata, 255
 — *pentaphylla*, 239
 — *quinquefolia*, 241
Bathysa, 57, 59
Betula, 174, 179, 198–200, 202, 203
 — *alleghaniensis*, 173
 — *glandulosa*, 182, 186, 187, 202, 203, 206
 — *nana*, 186
 — *papyrifera*, 173
 — *pumila*, 186, 187, 202
Bikkia, 41, 57, 59, 77, 81
 — *lenormandii*, 77
 — *mariannensis*, 77
 — *tetrandra*, 77, 81, 107
 — *tubiflora*, 77, 81
Biosystematic Revision of Bommeria, A, 445–476
Bommeria, A Biosystematic Revision of, 445–476
Bommeria, 445–476
 — *ehrenbergiana*, 447–450, 453–455, 457, 458, 460–466, 469, 474
 — — *×* *hispida*, 450, 459
 — *hispida*, 446–450, 453–458, 460–463, 466, 467, 469–472
 — *knoblochii*, 449, 450, 459, 473
 — *pedata*, 447, 449, 450, 452, 453, 455, 460–464, 466, 469, 471–473
 — *podophylla*, 474
 — *schaffneri*, 466
 — *subpaleacea*, 447, 449, 450, 452, 454–457, 459–463, 465–467, 469, 473, 474
Boraginaceae, 377
Boreal and Western North American Plants in the Late Pleistocene of Vermont, 167–218
Borreria capillaris, 160, 161
 — *savannarum*, 161
Botrychium, 216, 450, 452
Bouteloua, 320
 — *curtipendula*, 320
 — *glandulosa*, 320
 — *hirsuta* var. *glandulosa*, 320
 — *hirticulmis*, 320
Brefeldiellaceae, 93
Bruinsmia, 8, 14, 15
 — *styracoides*, 12, 23, 26, 27
Bulbostylis from the West Indies, A New Combination in, 322
Bulbostylis, 322
 — *antillana*, 322
 — *capillaris*, 322
 — — subsp. *antillana*, 322
 — — var. *major*, 322
 — *densa* subsp. *densa*, 322
 — — subsp. *trifida*, 322
BURCH, I. H., and S. A. SPONGBERG.
 Lardizabalaceae Hardy in Temperate North America, 302–315
Burmanniaceae, 117
Bursera (Burseraceae), Systematic Anatomy of Bahamian Species of, 163–165
Bursera, 163–165
 — *frenningae*, 156–159, 163–165
 — *inaguensis*, 157, 158, 163–165
 — *simaruba*, 159, 163–165
Burseraceae: Systematic Anatomy of Bahamian Species of Bursera, 163–165
Burseraceae, 157, 163
Buxaceae, 338, 341
Caicos and Turks Islands, New Species and Varieties from the Bahamas, 154–162
Caladium, 284–286
 — *aculeatum*, 286
 — *arborescens*, 286
 — *bicolor*, 284
 — — var. *rubicundum*, 284
 — — f. *rubicundum*, 284
 — — f. *surinamense*, 284
 — *grandifolium*, 286
 — *maculatum*, 285
 — *seguinum*, 285
 — *surinamense*, 284
Calathea, 300
 — *allouia*, 300
 — *discolor*, 300
 — *lutea*, 300
Calderonia, 59, 77, 81
California, Dicotyledonous Wood from the Upper Cretaceous of Central, 323–349
Calluna, 498
Calococcus, 409
 — *sundaicus*, 409, 425
Calonyction aculeatum, 249
 — *album*, 254
 — *comosperma*, 254
 — *grandiflorum*, 254
 — *jacquinii*, 254
 — *longiflorum*, 264
 — *megalocarpum*, 249
 — *muricatum*, 264
 — *muticum*, 254
 — *pulcherrimum*, 249
 — *speciosum*, 249, 264
 — — var. *muricatum*, 264
 — *tuba*, 254
Calystegia sepium, 269
 — *setifera*, 260
Caprifoliaceae, 344, 347

- Carex*, 202
 — sect. *Acutae*, 184
 — sect. *Heleonastes*, 184
 — *aquatalis*, 182, 184, 202
 — *bipartita*, 182, 184
 — *brunnescens*, 184
Carissa *karandas*, 5
 — *macrocarpa*, 5
Carludovica, 299
 — *angustifolia*, 299
 — *gracilis*, 299
 — *Plumieri*, 299
Carpinus, 174, 179, 197, 200
Carya, 174, 179, 200
Caryophyllus, 396
Cassiope, 494
Castanea, 216
Catoscopium nigritum, 194
Celastrus tetramerus, 412
Celtis, 186
 — *occidentalis*, 168, 185, 186
Ceratopteris, 456, 464, 465
Cercidiphyllaceae Hardy in Temperate North America, 367-376
Cercidiphyllaceae, 367-376
Cercidiphyllum, 367-371, 373, 374, 376
 — *japonicum*, 369, 371-376
 — — var. *magnificum*, 375
 — — var. *pendulum*, 376
 — — var. *sinense*, 373
 — — f. *japonicum*, 373
 — — f. *miquelianum*, 373
 — — f. *pendulum*, 376
 — — magnificum, 371, 373, 375, 376
 — — f. magnificum, 376
 — — f. *pendulum*, 376
 — *ovale*, 372
Cercidiphyllum Family, 367
Cercis siliquastrum, 369
Ceuthocarpus, 42-46, 48, 50-52, 55, 59, 62, 69, 71, 73, 75, 79, 90, 92-94, 97, 98, 108, 110
 — *involucratus*, 42, 43, 47, 53, 61, 72, 80, 88, 107-109
Chamaedaphne, 477, 486, 493
Cheilanthes, 445, 452
Chenopodiaceae, 174, 216
Chimarrhis, 59, 77, 79, 81
 — *cymosa*, 57, 77
 — *latifolia*, 57, 77
 — *parvifolia*, 57
 — *turbinata*, 77
Chiogenes, 477
Chloroxylon, 127
Cicca, 403-405
 — sect. *Ciccoides*, 409
 — sect. *Prosorus*, 407
Cicca sect. *Pseudo-Cicca*, 407
 — *anomala*, 409, 429
 — *antillana*, 403, 412
 — — var. α *glaucescens*, 420
 — — var. γ *pedicularis*, 412
 — — var. β *virens*, 422
 — *discoidea*, 415
 — *disticha*, 404
 — *pavoniana*, 412
 — *rhomboidalis*, 428
 — *scandens*, 420
 — *surinamensis*, 412
 — *virens*, 422
Cigarrilla, 42-46, 48, 50-52, 55, 57, 62, 67, 69, 71, 73, 75, 83, 87, 91, 92, 94, 97, 99, 109, 110
 — *mexicana*, 42, 47, 53, 56, 57, 61, 73, 79-81, 84, 86-88, 90, 96, 107, 109-111
Cinchona, 38, 39, 59, 90
 — *pubescens*, 57, 58
Cleistocalyx, 396, 399
 — *longiflorus*, 396
Clematis trifoliata, 309
Clethra, 335
Clethraceae, 332, 336
Clinostemon (Lauraceae), Reinstatement of, 515-522
Clinostemon, 515-522
 — *maguireanum*, 516, 520, 521
 — *mahuba*, 516, 518-520
Coffea, 38, 39, 90
Coleogyne, 504
Colocasia, 284
 — *antiquorum*, 284
 — *esculenta*, 284
Combination in Bulbostylis from the West Indies, A New, 322
Combretaceae, 327, 435
Commelina floribunda, 297, 298
Commelinaceae, 297
Compositae, 174, 179, 194, 198
Condaminea, 57, 59, 77, 81
Convolvulaceae of the Lesser Antilles, The, 219-271
Convolvulaceae, 92, 96, 219-271
Convolvulus, 219, 230, 231
 — *acetosaefolius*, 261
 — *aculeatus*, 249
 — *acuminatus*, 253
 — *alatus*, 244
 — *angulatus*, 253
 — *arenarius*, 261
 — *aristolochiaefolius*, 243
 — *arvensis*, 231

Convolvulus asarifolius, 250
 — *azureus*, 234
 — *batatas*, 269
 — *beladambu*, 250
 — *bicolor*, 269
 — *bilobatus*, 257
 — *bona-nox*, 249
 — *brasiliensis*, 257, 269
 — *cairicus*, 251
 — *canescens*, 234
 — *capitatus*, 236
 — *caracasanus*, 243
 — *catharticus*, 254
 — *ciliatus*, 236
 — *colubrinus*, 264
 — *Commersonii*, 230
 — *corymbosus*, 266
 — *cumanensis*, 232
 — *densiflorus*, 243
 — *dissectus*, 240, 269
 — *domingensis*, 266
 — *emarginatus*, 237
 — *esculentus*, 269
 — *essequibensis*, 261
 — *fastigiatus*, 261
 — *ferrugineus*, 232
 — *filiformis*, 235
 — *flagelliformis*, 250
 — *flavus*, 241, 243, 269
 — *frondosus*, 233
 — *gangeticus*, 265
 — *garberi*, 233
 — *grandiflorus*, 246, 249, 254
 — *guineensis*, 236
 — *havanensis*, 233
 — *hederaceus*, 241, 255
 — *heptaphylla*, 265
 — *insignis*, 255
 — *jalapa*, 269
 — *jamaicensis*, 233
 — *latiflorus*, 249
 — *littoralis*, 261
 — *luteus*, 243
 — *macrocarpus*, 245
 — *maculatus*, 269
 — *malabaricus*, 269
 — *maritimus*, 257
 — *martinicensis*, 237, 269
 — *maximus*, 269
 — *micranthus*, 237
 — *multiflorus*, 243
 — *muricatus*, 249, 263
 — *nemorosus*, 239
 — *nil*, 255
 — *nodiflorus*, 231
 — — var. *deglabratus*, 237
 — *nummularius*, 229, 234

Convolvulus obcordatus, 234
 — *obscurus*, 256
 — *obtusifolius*, 233
 — *operculatus*, 245
 — *ovalifolius*, 234
 — *paniculatus*, 251, 255
 — *parviflorus*, 237, 269
 — *pennatus*, 258
 — *pentanthos*, 234
 — *pentaphyllus*, 239, 269
 — *pes-caprae*, 257
 — *phoeniceus*, 253
 — *phyllomega*, 257
 — *plumerii*, 237
 — *polycarpus*, 237
 — *praelongus*, 236
 — *proliferus*, 230
 — *pterocarpus*, 238
 — *pulcherrimus*, 249
 — *quamoclit*, 258
 — *quinquefolius*, 241, 269
 — *repandus*, 259
 — *repens*, 250, 261, 269
 — *reptans*, 250
 — *rheedii*, 238
 — *roseus*, 255
 — *rotundifolius*, 257
 — *ruber*, 260
 — *rubro-caeruleus*, 262
 — *ruderarius*, 233
 — *rugosus*, 250
 — *sagittifer*, 243
 — *salicifolius*, 237
 — *sepium*, 92
 — *setifer*, 260
 — *siculus*, 269
 — *sidaefolius*, 267
 — *sloanei*, 263
 — *solanifolius*, 235
 — *speciosus*, 269
 — *stoloniferus*, 261
 — *tamnifolia*, 236
 — *tiliaceus*, 261
 — *tiliaeefolius*, 265
 — *tomentosus*, 256
 — *tuba*, 254
 — *tuberculatus*, 251
 — *turpethum*, 269
 — *umbellatus*, 234, 243
 — *uniflorus*, 237
 — *urbicus*, 250
 — *ventricosus*, 246
 — *verticillatus*, 237
 — *violaceus*, 234
Coombea, 127
Coptis, 174
Cornaceae, 9, 10, 332, 338, 341, 342, 347

- Cornus*, 342
CORRELL, DONOVAN S. New Species and Varieties from the Bahamas, Caicos and Turks Islands, 154-162
Corylus, 174, 179, 197
Coutaportla, 41-46, 48, 50-52, 55, 57, 59, 60, 62, 67, 71, 73, 75, 79, 91, 92, 94, 97, 99, 118, 119
— *ghiesbreghtiana*, 42, 47, 53, 56, 57, 61, 68, 79-81, 88, 90, 106
Coutarea, 41-45, 48, 50-52, 55, 57, 59-62, 67, 69, 71, 73, 75, 79, 91, 93, 94, 98, 106, 110, 118, 119
— *alba*, 75
— *hexandra*, 41, 42, 47, 53, 56, 68, 70, 75, 82, 88, 107
— *lindeniana*, 119
— *mexicana*, 109, 110
— *speciosa*, 41
Craibiodendron, 477-484, 486, 492, 493, 495, 497-500
Cratoneuron commutatum var. *falcatum*, 194
Cretaceous of Central California, Dicotyledonous Wood from the Upper, 323-349
Crinum, 290, 292, 293
— *amabile*, 290
— *americanum*, 290-292
— — subsp. *robustum*, 293
— *asiaticum*, 291, 292
— — var. *toxicarium*, 292
— *bracteatum*, 291, 292
— *bulbispermum*, 290, 292
— *caribaeum*, 291, 292
— *defixum*, 291
— *erubescens*, 291
— *floridanum*, 291, 292
— *giganteum*, 292
— *latifolium*, 290, 293
— *loddigesianum*, 291
— *longiflorum*, 292, 293
— *oliganthum*, 292
— *zeylanicum*, 293
Croton cyanospermus, 427
Cryptostegia, 4
Cubanola, 42-45, 48, 50-52, 55, 57, 62, 67, 69, 71, 73, 75, 90, 91, 94, 98, 99, 111-113
— *daphnoides*, 42, 61, 78, 80, 81, 88, 93, 95, 96, 106, 107, 111-113, 117
— *domingensis*, 42, 47, 54, 56, 61, 66, 88, 95, 96, 106, 112, 113
Cunoniaceae, 327, 338, 342
Cupheanthus, 396, 399
Curculigo, 299, 300
— *scorzonerifolia*, 299, 300
Cuscuta, 219, 220, 222
— *americana*, 220-223
— — var. *congesta*, 221
— — var. *spectabilis*, 221, 222
— *arvensis*, 222
— — var. *calycina*, 222
— — var. *capsici*, 222
— *boldinghii*, 220-222
— *campanulata*, 221
— *campestris*, 220, 222, 224
— *ceratophora*, 221
— *congesta*, 221
— *decora*, 223
— — var. *indecora*, 223
— *europaea*, 220
— *globulosa*, 220, 222, 223
— *graveolens*, 221
— *hispidula*, 223
— *indecora*, 220, 223
— — var. *hispidula*, 223
— *leiolepis*, 221
— *membranacea*, 224
— *neuropetala* var. *minor*, 223
— *partita*, 221
— *parviflora* var. *vestita*, 223
— *pentagona* var. *calycina*, 222
— — var. *subulata*, 222
— *porphyrostigma*, 223
— *spectabilis*, 221
— *surinamensis*, 221
— *umbellata*, 220, 223, 224
— — var. *desertorum*, 224
— *varrucosa* var. *hispidula*, 223
Cyclanthaceae, 299
Cyperaceae, 174, 179, 197, 199, 200, 322
Cyrillaceae, 338
Dactylepis brownei, 221
Daphniphyllaceae, 338, 341
David Sturrock (1893-1978) — Mentor and Friend, 1-7
Decaisnea, 303, 312-314
— *fargesii*, 313-315
— *insignis*, 313, 315
Descantaria, 297, 298
— *cumanensis*, 298
— *multiflora*, 298
Desmothamnus, 484, 485
— *lucidus*, 485
Diasperus scandens, 420
— *sundaicus*, 425
— *virens*, 422
Dichanthelium caerulescens, 154
DICKISON, WILLIAM C., and WILLIAM E. SCHADEL. Leaf Anatomy and Venation Patterns of the Styracaceae, 8-37
Dicotyledonous Wood from the Upper

- Cretaceous of Central California, 323–349
- Dicranella varia*, 196
- Dicranopygium gracile*, 299
- Dieffenbachia*, 273, 285
— *maculatum*, 285
— *plumieri*, 285
— *seguine*, 285, 287
— *seguinum*, 285
- Digitaria affinis*, 320
— *similis*, 320
- Dilleniaceae, 327, 332, 338, 341
— subfam. Dillenioideae, 338
- Dimorphantha, 494
- Diplycosia, 477
- Distribution, *Pinus maximinoi*: Its Taxonomic Status and, 386–395
- Ditrichum flexicaule*, 196
- Doryopteris*, 445, 464
- Draba*, 188, 191
- Dracontium cordatum*, 279, 281
— *pertusum*, 285
— *scandens*, 282, 283
- Drepanocladus revolvens*, 194
— *vernicosus*, 194
- Dryas*, 176, 191, 209
— *Drummondii*, 168, 176, 190, 192, 202, 203, 205, 206, 216
— *integrifolia*, 168, 190, 191, 202, 203, 206
- Dysoxylum spectabile*, 400
- Ebenaceae, 9, 10
- Eastern United States, Foliar Trichomes of *Quercus* Subgenus *Quercus* in the, 350–366
- Elaeagnus*, 203, 209
— *commutata*, 193, 194, 203, 206, 207
- Elaeocarpus*, 400
- Elliottia*, 493
- Endandra*, 520
- Engelhardtia*, 198, 216
- Enkianthus*, 493, 494
- Epacridaceae, 344
- Epithymum indecorum*, 223
- Equisetum*, 180
— *arvense*, 180
— *pratense*, 180
— *scirpoides*, 180
— *variegatum*, 180
- Ericaceae: Generic Relationships in the Andromedae, 477–503
- Ericaceae, 216, 338, 344, 345, 347, 493–495
— subfam. Ericoideae, 494
— subfam. Monotropoideae, 494
— subfam. Vaccinoideae, 477, 494, 496
— — tribe Andromedae, 477–503
— — tribe Arbuteae, 494
- Ericaceae subfam. Vaccinoideae tribe Cassiopeae, 494
— — tribe Vaccinieae, 494, 495
- Ernodea pungens*, 113, 114
- Eronema robinsoni*, 221
- Erucaria glandulosa*, 320
- Escalloniaceae, 338
- Eucommiaceae, 367
- Eucryphiaceae, 342
- Eugenia maire* (Myrtaceae) of New Zealand, A New Combination in *Syzygium* for, 396–401
- Eugenia*, 396–398, 400
— sect. *Syzygium*, 397
— *maire*, 396–400
— *obcordata*, 400
— *rariflora*, 396, 400
— *reinwardtiana*, 400
— *vitis-idaea*, 400
- Euodia*, 128
— *leucantha*, 137, 144
- Euonymus Margaritifera pentacoccus Americana*, 412
- Euphorbiaceae: A Revision of Margaritaria, 403–444
- Euphorbiaceae, 338, 341, 404
— subfam. Phyllanthoideae, 403, 405
— — tribe Phyllantheae, 404, 405, 407
— — — subtribe Flueggeinae, 404
- Eupteleaceae, 338, 367
- Euryales amboinensis*, 293
— *sylvestris*, 293
- Evodia leucantha*, 133
— *pedunculosa*, 133, 135, 138
- Evodianthus*, 299
- Evolvulus*, 219, 224, 225, 227
— *alsinoides* var. *grisebachianus*, 225
— — var. *sericeus*, 230
— *angustissimus*, 230
— *anomalus*, 230
— *antillanus*, 219, 225–227
— *argyreus*, 225–227
— *arizonicus*, 227
— *bocasanus*, 268
— *brevipedicellatus*, 230
— *campestris*, 228
— *capreolatus*, 229
— *Commersoni*, 230
— *convolvuloides*, 224, 227, 228
— *dichondroides*, 229
— *diffusus*, 225
— *domingensis*, 229
— *exilis*, 228
— *filipes*, 225, 228, 229
— — var. *exilis*, 228
— *glaber*, 228
— *glabriusculus*, 228
— *hederaceus*, 241

- Evolvulus hirsutus*, 228
 — *incanus*, 227
 — *karstenii*, 228
 — *linifolius*, 228
 — *mucronatus*, 228
 — *nanus*, 228
 — *nummularius*, 224, 227, 229, 230
 — — var. *grandifolia*, 229
 — *reniformis*, 229
 — *repens*, 229
 — *saxifragus* var. *paraensis*, 228
 — *sericeus*, 225, 230
 — — var. *angustifolius*, 230
 — — var. *Commersoni*, 230
 — — var. *latrix*, 230
 — — var. *loefgrenii*, 230
 — — f. *glabrata*, 230
 — *tenuis*, 227
 — — subsp. *longifolius*, 225, 268
 — *veronicaefolius*, 229
 — *villosus*, 268
 — *virgatus*, 230
Exogonium arenarium, 252
 — *eggersii*, 252
 — *filiforme*, 235
 — *repandum*, 259
 — *solanifolium*, 235
Exostema, 41, 57, 59, 77, 79
 — *caribaeum*, 82
 — *corymbosum*, 106
- Fagaceae**, 361
Fagus, 174, 216
 — *grandifolia*, 173
 Features of Pollen Flow in *Gelsemium sempervirens* (Loganiaceae), 377-381
 Five-leaflet akebia, 310
Flindersia, 127
Flueggea, 404, 405, 407
 — *acidoton*, 424
 — *bail'ioniana*, 434, 435
 — *eglantulosa*, 430, 431
 — *fagifolia*, 419
 — *major*, 430
 — *nitida*, 418, 435
 — *obovata*, 434
 Foliar Trichomes of *Quercus* Subgenus *Quercus* in the Eastern United States, 350-366
Fragaria, 217, 218
Fraxinus, 174, 178, 179, 198
 — *americana*, 178
 — *nigra*, 178
 — *pennsylvanica*, 178
 — *quadrangulata*, 178
FRYXELL, PAUL A. A New Herissantia (Malvaceae) from the West Indies, 316-319
Gardenia, 38, 90
 — *jasminoides*, 92
GARNOCK-JONES, P. J., and W. R. SYKES. A New Combination in *Syzygium* for *Eugenia maire* (Myrtaceae) of New Zealand, 396-401
Garryaceae, 344
Gaultheria, 477, 487, 500
Gaylussacia, 493
Gayoides crispum, 316
Gelsemium sempervirens (Loganiaceae), Features of Pollen Flow in, 377-381
Gelsemium sempervirens, 377-381
 Generic Relationships in the Andromedae (Ericaceae), 477-503
Geum, 193
 — *macrophyllum*, 193
 — *rivale*, 193
Gonianthes, 116, 117
 — *indeniana*, 116, 117
 — *sagraeana*, 112, 117
GOULD, FRANK W. Notes on American Grasses, 320, 321
Gramineae, 154, 174, 199, 200
 Grasses, Notes on American, 320, 321
Guettarda, 39
Gymnogramma ehrenbergiana, 465, 467, 470, 474
 — — var. *muralis*, 466, 470
 — *hispida*, 466, 467, 470
 — *pedata*, 471
 — *podophylla*, 474
 — *schaffneri*, 466
Gymnopteris, 445, 459, 464, 465
 — *hispida*, 466
 — *pedata*, 471
 — *rufa*, 459
 — *vestita*, 464
- Haemanthus multiflorus*, 293
Haemodoraceae, 299
Halesia, 8, 14, 19, 20
 — *carolina*, 12, 23, 26
 — diptera var. *diptera*, 12, 23
 — — var. *magniflora*, 12, 24
 — *macgregorii*, 11-14, 24, 26
Hamamelidaceae, 338
Harrimanella, 494
HARTLEY, THOMAS G. A Revision of the Genus *Tetractomia* (Rutaceae), 127-153
HAUFLER, CHRISTOPHER H. A Biosystematic Revision of *Bommeria*, 445-476
Hedyotis caerulea, 378, 380
Heminema, 298

- Hemionitis**, 445, 459, 464, 465
 — *arifolia*, 464
 — *palmata*, 456, 459
 — *pedata*, 471
 — *podophylla*, 474
Herissantia (Malvaceae) from the West Indies, A New, 316-319
Herissantia, 316-319
 — *crispa*, 316-319
 — *dressleri*, 318
 — *nemoralis*, 318
 — *tiubae*, 318
 — *trichoda*, 316-319
Heterostyly in *Oplonia* (Acanthaceae), 382-385
Hevea brasiliensis, 4
Hewittia sublobata, 269
Hintonia, 41-46, 48, 50-52, 55, 57, 59, 60, 62, 69, 71, 73, 75, 79, 90, 91, 93, 94, 98, 115, 116, 119
 — *latiflora*, 42, 47, 53, 61, 62, 66, 75, 82, 88, 107
 — *lumaeana*, 42, 61, 88, 107
 — *octomera*, 61, 75, 88
 — *pulchra*, 79, 115, 116
 — *standleyana*, 43, 61, 75, 88
Hippeastrum, 291, 292
 — *puniceum*, 293
 — — var. *mariae-galante*, 293
 — *reginae*, 291
Holboellia, 303
HOWARD, RICHARD A. David Sturrock (1893-1978) — Mentor and Friend, 1-7
HOWARD, RICHARD A. Nomenclatural Notes on Some Lesser Antillean Monocotyledoneae, 290-301
HOWARD, RICHARD A. Nomenclatural Notes on the Araceae of the Lesser Antilles, 272-289
Huaceae, 8, 20
Huodendron, 8, 11, 18, 19
 — *biaristatum*, 11, 12, 14, 24, 26
 — *chunianum*, 11-14, 24, 27
 — *tibeticum*, 11, 24, 26
Hygroamblystegium tenax, 194
Hygrohypnum luridum, 196
Hymenocallis, 293-295
 — *americana*, 291
 — *arenicola*, 294, 295
 — *caribaea*, 294, 295
 — *declinata*, 294
 — *fragrans*, 294, 295
 — *humilis*, 295
 — *palmeri*, 295
 — *rotata*, 295
Hymenosperma, 131
 — *beccarii*, 131, 133
Hymenosperma majus, 131
Hypericaceae, 377
Hypericum aegypticum, 377
Hypnum revolutum, 194
 — *vaucherii*, 196
Hypoxidaceae, 299
Hypoxis, 299
 — *decumbens*, 299, 300
 — *scorzoneraefolia*, 300
Iacacinaceae, 327, 332, 335, 338, 344, 347
Illiciaceae, 332
Illicium, 332, 334
Ipomoea, 219, 220, 247-249
 — *acetosaeifolia*, 261
 — *aculeata*, 249
 — *acuminata*, 253
 — *aegyptia*, 239
 — *alba*, 248-250, 254, 261, 269
 — *altissima*, 245
 — *alulata*, 245
 — *angulata*, 253
 — *antillana*, 267
 — *aquatica*, 248, 250, 269
 — *arenaria*, 252, 261
 — *asarifolia*, 248, 250, 251
 — *assumptionis*, 260
 — *batatas*, 247, 248, 268, 269
 — — var. *fastigiata*, 261
 — *beladamboe*, 250
 — *bona nox*, 249, 269
 — — var. *purpurascens*, 264
 — *bouvetti*, 251
 — *brasiliensis*, 257
 — *breviflora*, 260
 — *burmanni*, 267
 — *cairica*, 247, 251, 269
 — *campanulata*, 266
 — *canescens*, 234
 — *capitata*, 236
 — *capparoides*, 257
 — *carnea*, 269
 — — subsp. *fistulosa*, 247, 268
 — *carnosa*, 261
 — *cathartica*, 253
 — *cavanillesii*, 251
 — *coccinea*, 253, 269
 — *crassifolia*, 257
 — *cumanensis*, 232
 — *cuspidata*, 256
 — *cymosa*, 261
 — — var. *culta*, 243
 — *demerariana*, 257
 — *digitata*, 255
 — *dissecta*, 240
 — *domingensis*, 267
 — *eggersiana*, 247, 252

- Ipomoea ennealoba*, 255
 — *eriosperma*, 255, 259
 — *eustachiana*, 263
 — *fastigiata*, 261
 — *ferruginea*, 232
 — *filiformis*, 235, 269
 — *glaberrima*, 254
 — *gossypifolia*, 255
 — *gracilis*, 261
 — *grandiflora*, 254, 269
 — *guineensis*, 236
 — *hamiltoni*, 244
 — *hederifolia*, 248, 253, 269
 — *heptaphylla*, 265
 — *horsfalliae*, 247, 268
 — — var. *briggsii*, 268
 — — × *Ipomoea repanda*, 268
 — *indica* var. *acuminata*, 249, 253, 254
 — *insignis*, 255
 — *insuavis*, 256
 — *jalapa*, 269
 — *lesteri*, 260
 — *littoralis*, 261
 — *longicuspis*, 256
 — *longiflora*, 254
 — *longipes*, 261
 — *luteola*, 256
 — *macrantha*, 248, 254, 255, 263, 269
 — *macrophylla*, 269
 — *maritima*, 257
 — *martinicensis*, 237
 — *mauritiana*, 247, 255
 — *maxima*, 269
 — *mendesii*, 242
 — *micans*, 243
 — *microdactyla*, 259
 — *mollicoma*, 243
 — *muricata*, 263
 — *nigricans*, 240
 — *nil*, 249, 255, 256, 269
 — *obscura*, 249, 256
 — *operculata*, 245
 — *orbicularis*, 257
 — *palmata*, 251
 — *palustris*, 260
 — *paniculata*, 255
 — *parviflora*, 263
 — *pendula*, 251, 268
 — *pentaphylla*, 239
 — *pes-caprae*, 257
 — — subsp. *brasiliensis*, 247, 257, 269
 — — var. *emarginata*, 257
 — *pes-tigridis*, 247
 — *phoenicea*, 253
 — *phyllomega*, 248, 257, 258
 — *pilosa*, 239
 — *polyanthes*, 243
 — *Ipomoea polycarpa*, 237
 — *primulaeflora*, 243
 — *pterocarpa*, 238
 — *pterodes*, 245
 — *pulchella*, 264
 — *pulchra*, 266
 — *puncticulata*, 262
 — *quamoclit*, 247, 258, 269
 — *quinquefolia*, 241, 265
 — *quinqueloba*, 255
 — *repanda*, 248, 259, 268, 269
 — — var. *microdactyla*, 259
 — — var. *repanda*, 259
 — *repens*, 250
 — *reptans*, 250
 — *ruber*, 260
 — — var. *albo-flavida*, 260
 — — var. *palustris*, 260
 — *rubra*, 260
 — *rubro-caerulea*, 262
 — *ruderaria*, 233
 — *rugosa*, 250
 — *sagittifera*, 243
 — *scabra*, 256
 — *setifera*, 248, 260
 — *setosa*, 256
 — *sidaefolia*, 267
 — *sinaloensis*, 239
 — *sinuata*, 240
 — *solanifolia*, 235, 256
 — *speciosa*, 269
 — *sphenophylla*, 247, 260, 261
 — *spiralis*, 265
 — *stenocolpa*, 261
 — *steudelii*, 252
 — *stipulacea*, 251
 — *stolonifera*, 248, 261, 269
 — *subdentata*, 250
 — *subpedata*, 240
 — *surinamensis*, 261
 — *tamnifolia*, 236
 — *tiliacea*, 249, 261, 262
 — *tiliaeefolia*, 265
 — *trichocalyx*, 256
 — *trichocarpa*, 263
 — *tricolor*, 248, 262, 263
 — *triloba*, 249, 263
 — *tuba*, 254
 — *tuberculata*, 251
 — *tuberosa*, 242, 269
 — *turbinata*, 248, 263, 264
 — *umbellata*, 243, 269
 — *uniflora*, 238
 — *urbica*, 260
 — *ventricosa*, 246
 — *verticillata*, 231, 237
 — *violacea*, 254, 255, 262, 263

- Ipomoea walpersiana*, 248, 264
 — *wrightii*, 242, 247, 264, 265
Ischnosiphon aromatica, 300
Isidorea, 42–45, 48, 50–52, 55, 57, 59, 62, 67, 69, 71, 73, 77, 79, 90, 92–94, 96–99, 113, 114
 — *brachyantha*, 48, 61
 — *brachycarpa*, 42, 58, 76, 88, 106, 114
 — *elliptica*, 61, 62
 — *leonardii*, 48, 52, 55, 61, 62, 65, 88
 — *leonis*, 61
 — *leptantha*, 47, 48, 55, 61, 76, 96
 — *oblanceolata*, 42, 61, 88, 107, 114, 115
 — *pedicularis*, 53, 55, 56, 61
 — *polyneura*, 41, 61, 65, 88, 107, 115
 — *pungens*, 55, 61, 96, 113
 — *tetramera*, 52, 61, 62
Ixia, 299
Ixora, 38
- Jacquemontia*, 219, 231, 232
 — *azurea*, 231, 234
 — *canescens*, 234
 — *capitata*, 236
 — *cayensis*, 232
 — *chiapensis*, 238
 — *cumanensis*, 232, 233
 — *elongata*, 235
 — *ferruginea*, 232
 — *havanensis*, 232–234
 — *houseana*, 235
 — *macrocephala*, 236
 — *mattogrossensis*, 236
 — *micrantha*, 237
 — *nodiflora*, 231
 — *obcordata*, 234
 — *ovalifolia* subsp. *obcordata*, 231, 234
 — *paniculata*, 269
 — *pentantha*, 232, 234, 235
 — *rondonii*, 236
 — *ruderaria*, 233
 — *simulata*, 231
 — *solanifolia*, 232, 235, 236, 269
 — *subsalina*, 234
 — *tamnifolia*, 231, 236, 237
 — *verticillata*, 232, 237, 269
 — — var. *stenophylla*, 237
 — *violacea*, 234
Jacquinia berteri var. *nana*, 159
 — *keyensis* var. *minutifolia*, 159, 161
Jambosa, 396, 399
Jepsonia heterandra, 377, 380
Jossinia, 396
 JUDD, WALTER S. Generic Relationships in the Andromedae (Ericaceae), 477–503
Juglans, 174, 216
- Juniperus*, 174, 178, 197, 199, 201, 202
 — *communis*, 180, 182, 202
 — — var. *communis*, 182
 — — var. *depressa*, 182
 — — var. *megistocarpa*, 182
 — — var. *montana*, 206
 — — var. *saxatilis*, 182
- Kalmia polifolia*, 168, 190
Katsura, 369, 372
Katsura-tree, 372
 KOYAMA, TETSUO. A New Combination in *Bulbostylis* from the West Indies, 322
 KUBITZKI, K., H. KURZ, and H. G. RICHTER. Reinstatement of *Clinostemon* (Lauraceae), 515–522
 KURZ, H., H. G. RICHTER, and K. KUBITZKI. Reinstatement of *Clinostemon* (Lauraceae), 515–522
- Ladenbergia*, 59
Lardizabala, 302, 303
Lardizabala Family, 302
Lardizabalaceae Hardy in Temperate North America, 302–315
Lardizabalaceae, 302–315
Larix, 182, 216
 Lauraceae: Reinstatement of *Clinostemon*, 515–522
 Lauraceae, 327, 515, 516, 518, 520
 — subfam. Lauroideae tribe Perseeae sub-tribe Beilschmiediinae, 520
 Leaf Anatomy and Venation Patterns of the Styracaceae, 8–37
Lecythidaceae, 147
Ledum, 206, 494
 — *groenlandicum*, 193, 195, 202, 206
Legendrea corymbosa, 267
Leguminosae, 327
Lejeuneaceae, 93
Lemna minor, 300
 — *trisulca*, 300
Lemnaceae, 200
Leplacea, 342
Leptorhoeo, 297, 298
 — *filiformis*, 297, 298
 — *floribunda*, 297
Leptorrhoeo, 297, 298
 Lesser Antillean Monocotyledoneae, Nomenclatural Notes on Some, 290–301
 Lesser Antilles, Nomenclatural Notes on the Araceae of the, 272–289
 Lesser Antilles, The Convolvulaceae of the, 219–271
Leucothoë, 477–485, 487, 492, 493, 495, 497–500
 — sect. *Agastia*, 495

- Leucothoë axillaris*, 481
— fontanesiana, 481
— pinetorum, 495
— racemosa, 492
Licaria, 515–518, 520
— maguireana, 515–518, 520
— mahuba, 515–518
— subbullata, 515
Lindenia, 59
Liquidambar styraciflua, 389
Lissocarpa, 10, 15, 16, 20
— benthamii, 24, 26
— guianensis, 24, 25
Lissocarpaceae, 9, 10, 15, 20
Lithospermum californicum, 380
— carolinense, 377, 380
Litsea calicaris, 400
Loganiaceae: Features of Pollen Flow in
Gelsemium sempervirens, 377–381
Loganiaceae, 377
Loiseleuria procumbens, 168, 190
Lophomyrtus, 400
Lycopodiaceae, 174, 197
Lyonia, 477, 478, 481, 484–491, 493–500
— sect. Arsenococcus, 478–480, 482, 483,
486, 492, 497–499
— sect. Lyonia, 478–480, 482, 483, 486,
492, 494, 495, 497–499
— sect. Maria, 478–483, 486, 492, 497–499
— sect. Pieridopsis, 478–480, 482, 483, 485,
486, 492, 497–499
— chapaensis, 484
— compta, 484
— ligustrina, 485, 486, 492, 498
— lucida, 481, 484–486, 498, 499
— macrocalyx, 485
— mariana, 484–486, 498
— ovalifolia, 485
— — var. elliptica, 491
— — var. rubrovenia, 491
Lythraceae, 377
Lythrum, 377
— salicaria, 380

Macrocnemum, 57, 59
Magnoliaceae, 367
Majera coerulea, 228
Malvaceae: A New Herissantia from the
West Indies, 316–319
Maranta allouia, 300
— aromatica, 300
— arundinacea, 301
— casupo, 300
— divaricata, 301
— gibba, 301
— indica, 301
— lutea, 300

Maranta ruiziana, 301
Marantaceae, 300
Margaritaria (Euphorbiaceae), A Re-
vision of, 403–444
Margaritaria, 403–444
— alternifolia, 412, 414
— anomala, 405, 409, 410, 426, 429–433
— — var. cheloniphorbe, 430, 431
— arbor Sirinamensis, 412
— bahamensis, 421, 422
— cyanosperma, 408, 410, 427, 428
— decaryana, 410, 429, 433, 434
— discoidea, 404–407, 410, 415, 416, 418,
420, 427, 435
— — subsp. discoidea, 406, 411, 416–418,
420
— — subsp. nitida, 406, 416–420, 435
— — var. triplosphaera, 434
— dubium-traceyi, 405, 409, 410, 426, 432,
433
— hispidula, 408, 410, 411, 429, 432, 433
— hotteana, 405, 410, 413, 421, 423, 424
— indica, 405–407, 409, 410, 418, 425–429,
431, 432
— luzoniensis, 408, 410, 424, 425, 427, 432
— nobilis, 403–407, 410–416, 418
— — var. antillana, 412
— obovata, 406, 410, 411, 417, 420, 434,
435
— oppositifolia, 414, 435
— rhomboidalis, 405, 408, 410, 428, 429,
431, 433
— scandens, 408, 410, 413, 420–424
— tetracocca, 409, 410, 413, 422–424
Margaritifera, 403
Matthaea, 332, 334
Meineckia, 407
Melicope, 127, 128, 151
— sect. Tetractoma, 130, 151
— sect. Tetractomia, 127, 128
— beccarii, 133
— lamii, 151
— major, 145
— parviflora, 127
— philippinensis, 133
— roxburghii, 133, 134
— tetrandra, 131–133, 135, 137
Melliiodendron, 8, 13, 14, 21
— wangianum, 12, 24
— xylocarpum, 12, 24, 26
Menziesia, 494
Merremia, 220, 238, 239
— aegyptia, 239, 240, 269
— convolvulacea, 241
— dissecta, 239, 240, 269
— hederacea, 238, 239, 241, 269
— pentaphylla, 239

- Merremia** *quinquefolia*, 239, 241, 242, 265, 269
rondoniana, 243
tuberosa, 239, 242, 243, 269
umbellata, 239, 241, 243, 269
— subsp. *orientalis*, 244
— subsp. *umbellata*, 243, 244
— var. *occidentalis*, 243
— var. *umbellata*, 243
- Mexico**, Notes on the Genus *Polygala* in the United States and, 504-514
- Mezilaurus**, 515-518, 520
- Microstylis** *grandiflora*, 151
- MILLER**, NORTON G., and GARY G. THOMPSON. Boreal and Western North American Plants in the Late Pleistocene of Vermont, 167-218
- Misanteca** *maguireana*, 520
— *mahuba*, 518
- MITTAK**, W. L., and J. P. PERRY, JR. *Pinus maximinoi*: Its Taxonomic Status and Distribution, 386-395
- MOHLENBROCK**, ROBERT H., and PAUL M. THOMSON. Foliar Trichomes of *Quercus* Subgenus *Quercus* in the Eastern United States, 350-366
- Monimiaceae**, 332, 334
- Monocotyledoneae**, Nomenclatural Notes on Some Lesser Antillean, 290-301
- Monstera**, 273, 285
— *adansonii*, 285
— *imrayana*, 285
— *jacquinii*, 285
— *macrophylla*, 285
— *pertusa*, 285
- Montrichardia**, 286
— *aculeata*, 286
— *arborescens*, 286
— *linifera*, 286
- Moraceae**, 327
- Musci**, 194, 196
- Mussaenda**, 55
- Myrciaria** *floribunda*, 5
- Myrtaceae**: A New Combination in Syzygium for *Eugenia maire* of New Zealand, 396-401
- Myrtus**, 400
- Nama** *convolvuloides*, 227
- Nemepis** *americana*, 221
— *prolifera*, 221
- Neomyrtus**, 400
- Neopieris**, 484, 485
- Neurogramma** *pedata*, 471
- Neurogramme** *hispida*, 466
- New Combination in *Bulbostylis* from the West Indies, A, 322
- New Combination in Syzygium for *Eugenia maire* (Myrtaceae) of New Zealand, A, 396-401
- New Herissantia (Malvaceae) from the West Indies, A, 316-319
- New Species and Varieties from the Bahamas, Caicos and Turks Islands, 154-162
- New Zealand, A New Combination in Syzygium for *Eugenia maire* (Myrtaceae) of, 396-401
- Nomenclatural Notes on Some Lesser Antillean Monocotyledoneae, 290-301
- Nomenclatural Notes on the Araceae of the Lesser Antilles, 272-289
- North America, Cercidiphyllaceae Hardy in Temperate, 367-376
- North America, Lardizabalaceae Hardy in Temperate, 302-315
- North American Plants in the Late Pleistocene of Vermont, Boreal and Western, 167-218
- Notes on American Grasses, 320, 321
- Notes on the Genus *Polygala* in the United States and Mexico, 504-514
- Notholaena**, 464
- Nuihonia**, 477
- Nymphaea**, 216
- Nyssa**, 335
- Nyssaceae**, 332, 335, 336, 338, 341
- Operculina**, 220, 244, 245
— *aegyptia*, 239
— *alata*, 244, 245
— *altissima*, 245
— *convolvulus*, 245
— *dissecta*, 240
— *grandiflora*, 246
— *leptoptera*, 244, 245
— *macrocarpa*, 244-246
— *pterodes*, 245
— *triquetra*, 245
— *tuberosa*, 242
— *turpethum*, 244, 269
— *ventricosa*, 244, 246, 247, 269
- Ophioglossaceae**, 174
- Oplonia** (Acanthaceae), Heterostyly in, 382-385
- Oplonia**, 382-385
— *acicularis*, 383, 384
— *armata* var. *pallidior*, 382-385
— *microphylla*, 383, 384
- ORNDUFF**, ROBERT. Features of Pollen Flow in *Gelsemium sempervirens*, 377-381
- ORNDUFF**, ROBERT. Heterostyly in Oplonia (Acanthaceae), 382-385

- Osa, 42-45, 48, 50-52, 55, 57, 62, 67, 69, 71, 73, 77, 79, 81, 90-94, 98, 115, 116
— pulchra, 47, 54, 56, 61, 74, 78, 79, 81, 88, 92, 115, 116
- Osmundaceae, 174
- Ostrya, 174, 179, 197, 200
- Oxalis eggersii, 161
- Oxydendrum, 477, 493, 494
- Oxyria digyna, 180, 187, 203, 206
- Pachysandra, 341
- PAGE, VIRGINIA M. Dicotyledonous Wood from the Upper Cretaceous of Central California, 323-349
- Pamphilia, 8, 12, 18, 19
— aurea, 11, 15, 18, 24, 26, 27
— pedicellata var. ovalis, 11, 24
— styracifolia, 11, 24
- Pancratium, 294
— amboinense, 293
— caribaeum, 295
- Panicum subg. Dichanthelium, 154
— caerulescens, 154
- Paraceterach, 464
- Paraphyllanthoxylon, 407
— alabamense, 407
- Parastyrax, 8, 11-15, 18-20
— lacei, 12, 24-26
- Pareugenia, 396, 399
- Parnassia, 189
— glauca, 189
— Kotzebuei, 183, 189, 206
— palustris var. neogaea, 189
— parviflora, 189
- Pernettya, 477
- Pernettyopsis, 477
- PERRY, J. P., JR., and W. L. MITTAK. Pinus maximinoi: Its Taxonomic Status and Distribution, 386-395
- Pharbitis acuminata, 253
— cathartica, 253
— cuspidata, 256
— nil, 256
— rubro-coerulea, 262
- Phelline, 335
- Philadelphaceae, 9
- Philodendron, 286
— dispar, 286, 287
— dussii, 286, 287
— giganteum, 287
— grandifolium, 286
— hederaceum, 287
— isertianum, 287
— lingulatum, 286-288
— scandens, 287
— — subsp. isertianum, 287
— swartzianum, 288
- Philodendrum, 286
- Phyllanthus, 404, 435
— sect. Cicca, 404, 435
— — subsect. Ciccooides, 409
— — subsect. Margaritaria, 407
— — subsect. Paracicca, 407
— — subsect. Prosorus, 407
— sect. Prosorus, 407, 435
— acidus, 404
— amapondensis, 419
— ankarana, 435
— anomalus, 429, 431
— — subsp. erythroxyloides, 430
— antillanus, 412
— — α concolor, 412
— — ϵ glaucescens, 420
— — var. hypomalacus, 412
— — β pedicularis, 412
— — β virens, 422
— bahamensis, 421
— cheloniphorbe, 430
— cyanospermus, 427
— decaryanus, 433, 434
— — var. manambia, 433, 434
— discoideus, 415
— e glandulosus, 430
— erythroxyloides, 430, 431
— flacourtioides, 435
— heteromorpha, 412
— hotteanus, 423
— hysteranthus, 430
— indicus, 425
— — f. vestita, 425
— luzoniensis, 424
— nobilis, 412
— — antillanus, 412
— — δ brasiliensis, 412
— — β guyanensis, 412
— — var. hypomalacus, 412, 414
— — var. θ martii, 412
— — var. panamensis, 412
— — ζ pavonianus, 412
— — γ peruvianus, 412
— — ϵ riedelianus, 412
— rhomboidalis, 428
— scandens, 420
— stocksii, 425
— sundaicus, 425
— virens, 422
- Picardaea, 59, 78, 81
- Picea, 174, 178, 180, 182, 197, 199-201
— rubens, 173
- Pieris, 477, 478, 481, 483-487, 493-496, 498-500
— sect. Phillyreoides, 478-480, 482, 483, 492, 496-500
— sect. Pieris, 478-480, 482, 483, 492, 497, 498, 500

- Pieris cubensis*, 487, 498
 — *floribunda*, 493, 498
 — *formosa*, 498
 — *japonica*, 498
 — *nana*, 478–480, 482–484, 492, 493, 497–500
 — *phillyreifolia*, 487, 494, 498, 499
 — *rubrovenia*, 491
 — *swinhoei*, 487, 498
Piliocalyx, 396, 399
Pinckneya, 59, 78, 81, 90
 — *pubens*, 58
Pinus maximinoi: Its Taxonomic Status and Distribution, 386–395
Pinus, 174, 178, 182, 197, 199, 200, 386
 — subg. *Pinus*, 178
 — subg. *Strobus*, 178
 — *arizonica*, 511
 — *ayacahuite*, 386
 — *Banksiana*, 179
 — *caribaea*, 386, 388
 — *douglasiana*, 387, 391
 — *martinezii*, 391
 — *maximinoi*, 386–395
 — *oocarpa*, 386, 388, 389, 392
 — *pseudostrobus*, 386–389, 391, 392, 394
 — — var. *tenuifolia*, 386–388, 391
 — *resinosa*, 179
 — *tecumumanii*, 389
 — *tenuifolia*, 386–389, 391, 392, 394
Pistia, 288
 — *stratiotes*, 288
Pityrogramma, 464
Planchonella novo-zelandica, 400
Plantago, 174
Platea, 335
Platycarya, 198, 216
Pleistocene of Vermont, Boreal and Western North American Plants in the Late, 167–218
Pleurospora, 286
Pogonopus, 59, 79, 81, 90
Pollen Flow in Gelsemium sempervirens (Loganiaceae), Features of, 377–381
Polygala in the United States and Mexico, Notes on the Genus, 504–514
Polygala, 504–514
 — sect. *Monnинopsis*, 504, 512
 — sect. *Rhinotropis*, 504
 — *acanthoclada*, 505
 — — var. *intricata*, 505
 — *erythrorrhiza*, 507
 — *eucosma*, 511
 — *heterorhyncha*, 504
 — *intermontana*, 505
 — *intricata*, 505
 — *lindheimeri*, 505, 509–511
Polygala lindheimeri var. *eucosma*, 510, 511
 — — var. *lindheimeri*, 509–512
 — — var. *parvifolia*, 507, 510, 511
 — *lithophila*, 507, 508
 — *minutifolia*, 512, 513
 — *nitida*, 505–507
 — — var. *goliadensis*, 506–509
 — — var. *lithophila*, 506–508
 — — var. *nitida*, 506–508
 — — var. *tamaulipana*, 506–509
 — *nudata*, 512, 513
 — *scoparioides*, 513, 514
 — *subspinosa*, 504
 — — var. *heterorhyncha*, 504
 — *tweedyi*, 506, 511
 — *watsonii*, 504, 512–514
Polygalaceae, 512
Polygonum, 222
 — *aviculare* var. *littorale*, 187
 — *buxiforme*, 187
 — *prolificum*, 187
 — *ramosissimum*, 182, 187, 206
 — — var. *prolificum*, 187
Polypodiaceae, 174, 197
Populus, 174, 185, 186, 202, 216
 — sect. *Reticulatae*, 186
 — *balsamifera*, 168, 180, 185, 186, 201, 202
 — *deltoides*, 186
 — *grandidentata*, 186
 — *tremuloides*, 186, 202
Porana paniculata, 219, 268
Portlandia (Rubiaceae) and Associated Taxa, A Reexamination of, 38–126
Portlandia, 38–126
 — *acuminata*, 106, 118
 — *albiflora*, 103–106
 — *brachycarpa*, 106, 114
 — *coccinea*, 48–50, 55, 61, 81, 84, 85, 89, 91, 92, 95, 96, 100–103, 106
 — — var. *coccinea*, 84, 87, 90, 102
 — — var. *proctorii*, 84, 85, 87, 102, 103
 — *coriacea*, 102, 106
 — *corymbosa*, 106
 — *daphnoides*, 95, 106, 111, 112, 117
 — *domingensis*, 106, 113
 — *elliptica*, 106
 — *ghiesbrechtiana*, 106
 — *grandiflora*, 40, 41, 46, 48–50, 52, 55, 56, 61, 64, 76, 81, 84–87, 89–95, 97, 99–101, 104, 106
 — — var. *latifolia*, 103, 106
 — — var. *parviflora*, 100, 101, 106
 — *guatemalensis*, 57, 89, 90, 107, 119
 — *gypsophila*, 107, 117
 — *gypsophylla*, 107, 118
 — *harrisii*, 48–50, 55–57, 61, 76, 81, 83, 84, 86, 89–92, 100, 103–105

- Portlandia hexandra*, 107
 — *involucrata*, 107–109
 — *latifolia*, 103–105, 107
 — *lindeniana*, 107, 117, 118
 — *longiflora*, 107, 112
 — *lumaeana*, 107
 — *mexicana*, 79, 107, 110
 — *microsepala*, 47–50, 55, 58, 89–91, 100,
 103, 106
 — *nitens*, 107
 — *oblanceolata*, 107, 114
 — *pendula*, 107
 — *platantha*, 42, 48–50, 55, 61, 87, 89–92,
 95, 96, 100, 103–107
 — *polyneura*, 107, 115
 — *pterosperma*, 107
 — *sessilifolia*, 107
 — *shaferi*, 107
 — *speciosa*, 107
 — *tetrandra*, 107
 — *uliginosa*, 107
Portulaca minuta, 154–157
Portulacaceae, 154, 224
Potamogeton, 172, 184, 196
 — *filiformis*, 182, 184, 202
 — *pusillus*, 182, 184, 202
 — *vaginatus*, 182
Potentilla, 183, 189, 190, 217, 218
 — *anglica*, 217
 — *anserina*, 218
 — *arguta*, 218
 — *canadensis*, 217
 — *Crantzii*, 217
 — *effusa*, 217
 — *Egedei* var. *groenlandica*, 218
 — *erecta*, 217
 — *fruticosa*, 217
 — *gracilis*, 190
 — *hyparctica*, 190
 — *millegrana*, 217, 218
 — *Nicolletii*, 218
 — *nivea*, 190, 217
 — *norvegica*, 217
 — *paradoxa*, 218
 — *pectinata*, 217
 — *pensylvanica*, 217, 218
 — *pentandra*, 218
 — *pulchella*, 190, 217
 — *rivalis*, 217, 218
 — *Robbinsiana*, 190
 — *rubricaulis*, 190
 — *tridentata*, 217
 — *usticapensis*, 190
Pothos, 274, 275, 280–282
 — *acaulis*, 274, 275, 279, 280
 — *americanae*, 274
 — *cordata*, 276, 277
Pothos crassinervia, 279, 280
 — *gracilis*, 278
 — *grandifolia*, 279, 282
 — *lanceolata*, 275, 280, 281, 283
 — *macrophylla*, 281
 — *pertusa*, 285
 — *reflexus*, 274
 — *scandens*, 275
 — *solitaria*, 279
 — *violacea*, 282, 283
 — *viridis*, 274
Powell, Dulcie A. The Convolvulaceae
 of the Lesser Antilles, 219–271
Primula vulgaris, 377, 378
Primulaceae, 377
Prosorus, 404, 407
 — *cyanospermus*, 427
 — *gaertneri*, 427
 — *indicus*, 407, 425
 — *luzoniensis*, 424
Protomegabaria, 338
Psammisia, 494
Pteridaceae, 449
Pterospora, 494
Pterostyrax, 8, 13, 14, 21
 — *cavaleriei*, 12, 24
 — *corymbosus*, 12, 24
 — *hispidus*, 12, 24, 26
Quamoclit angulata, 253
 — *coccinea*, 253
 — *filiformis*, 235
 — *phoenicea*, 253
 — *pinnata*, 258
 — *quamoclit*, 258
 — *repanda*, 259
 — *solanifolia*, 235
 — *vulgaris*, 258
Quercus Subgenus Quercus in the Eastern
 United States, Foliar Trichomes of, 350–
 366
Quercus, 174, 176, 179, 197, 199, 200, 350–
 366, 389
 — subg. *Erythrobalanus*, 359
 — subg. *Quercus*, 350–366
 — *alba*, 351, 352, 354, 355, 364
 — *austrina*, 351, 352, 354–356, 364
 — *bicolor*, 351, 352, 354–356, 362
 — var. *mollis*, 356
 — *breviloba*, 364
 — *chapmanii*, 351, 352, 355, 356, 364
 — *durandii*, 351, 352, 355, 356, 364
 — *gambelii*, 363–365
 — × *Q. prinoides*, 364, 365
 — *geminata*, 351, 352, 355, 356, 361
 — *grisea*, 363–365
 — × *Q. prinoides*, 364, 365

- Quercus* \times *guadalupensis*, 362–364
 — *lyrata*, 351, 352, 356, 357
 — — f. *lyrata*, 353, 357, 358
 — — f. *viridis*, 352, 356, 358
 — *macrocarpa*, 351, 353, 357, 358, 361–363
 — *margareta*, 351, 353, 357–359, 364
 — *michauxii*, 351, 361
 — *minima*, 351, 353, 357–359, 361
 — *montana*, 351, 353, 359, 360
 — *muehlenbergii*, 351, 359, 363
 — *oglethorpensis*, 351, 353, 357, 359, 360, 364
 — *prinoides*, 351, 353, 359–361, 364, 365
 — — var. *acuminata*, 351, 353, 359, 361, 363
 — — — f. *alexanderi*, 361
 — — var. *prinoides*, 351, 353, 359, 360
 — *prinus*, 351, 353, 359–361
 — *stellata*, 351, 353, 357, 360–364
 — *virginiana*, 351, 353, 356, 357, 359–361, 364
 — — var. *fusiformis*, 353, 361, 362
 — — var. *maritima*, 356, 361
 — — var. *minima*, 361
 — — var. *virginiana*, 353, 361, 362
- Rajania*, 305
 — *quinata*, 310
- Ranunculus*, 174, 187
 — *Cymbalaria*, 182, 187, 202
- Reexamination of *Portlandia* (Rubiaceae) and Associated Taxa, A, 38–126
- Rehderodendron*, 8, 13, 21
 — *indochinense*, 12, 24, 26
 — *kweichowense*, 12, 24, 25
 — *macrocarpum*, 12, 24
- Reinstatement of *Clinostemon* (Lauraceae), 515–522
- Relationships in the Andromedaceae (Ericaceae), Generic, 477–503
- Revision of *Bommeria*, A Biosystematic, 445–476
- Revision of *Margaritaria* (Euphorbiaceae), A, 403–444
- Revision of the Genus *Tetractomia* (Rutaceae), A, 127–153
- Rhododendron*, 493, 495
 — sect. *Vireya*, 494
- RICHTER, H. G., K. KUBITZKI, and H. KURZ.** Reinstatement of *Clinostemon* (Lauraceae), 515–522
- Rivea campanulata*, 266
 — *corymbosa*, 267
 — *tiliaeifolia*, 266
- Rondeletia*, 59
 — *intermixta*, 57
- Rondeletia pachyphylla*, 57
- Rosaceae*, 216
- Rubia*, 39
- Rubiaceae: A Reexamination of *Portlandia* and Associated Taxa, 38–126
- Rubiaceae*, 38, 39, 41–43, 45, 46, 48, 50, 55, 60, 73, 83, 87, 90, 92, 161
 — subfam. *Cinchonoideae*, 39, 46, 87
 — — tribe *Cinchoneae*, 40, 57, 59, 73, 75, 79, 83, 110
 — — tribe *Condamineae*, 40, 48, 52, 55, 59, 73, 75, 83, 87, 90, 110, 119
 — — tribe *Rondeletieae*, 40, 52, 57, 59, 83
 — subfam. *Guettardoideae*, 39, 87
 — subfam. *Ixoroideae*, 46, 87
 — subfam. *Rubioideae*, 39, 73, 87
 — — tribe *Hedyotideae*, 59, 73, 110, 119
- Rumex*, 174
- Rustia*, 59, 79, 81
 — *formosa*, 57, 59
 — *occidentalis*, 58, 59
- Rutaceae: A Revision of the Genus *Tetractomia*, 127–153
- Rutaceae, 127, 128
- Salix*, 174, 199, 200, 202, 203
 — *argyrocarpa*, 168, 185
 — *herbacea*, 168, 185
 — *pedicularis*, 168
 — *pellita*, 168, 185
 — *reticulata*, 168, 184
 — *Uva-ursi*, 185, 203, 206
 — *vestita*, 180, 184, 185, 204, 206
- Sapotaceae, 9, 10
- Sarcandra*, 332, 341
- Sarcocephalus*, 46
- Sarcospermataceae, 9
- Sargentodoxa cuneata*, 303
- Sargentodoxaceae, 303
- Saxifraga*, 188, 208, 210, 217
 — sect. *Aizoonia*, 211
 — sect. *Hirculus*, 208
 — sect. *Micranthes*, 208
 — sect. *Porphyrium*, 211
 — sect. *Saxifraga*, 209, 210
 — sect. *Trachyphllum*, 210
 — sect. *Xanthizoon*, 210
 — *aizoides*, 182, 188, 189, 202, 203, 206, 210, 217
 — *Aizoon*, 211, 217
 — *cernua*, 188, 217
 — *cespitosa*, 210, 217
 — *flagellaris*, 209, 217
 — *gaspensis*, 188, 217
 — *Geum*, 188, 217
 — *hieracifolia*, 208, 217
 — *Hirculus*, 208, 217

- Saxifraga nivalis*, 208, 217
 — *oppositifolia*, 211, 217
 — *pensylvanica*, 208, 217
 — *rivularis*, 209, 217
 — *stellaris*, 208, 217
 — *tricuspidata*, 210, 217
 — *virginiensis*, 208, 217
Saxifragaceae, 377
SCHADEL, WILLIAM E., and WILLIAM C. DICKISON. Leaf Anatomy and Venation Patterns of the *Styracaceae*, 8-37
Schefflera digitata, 400
Schmidtottia, 41-46, 48, 50-52, 55, 57, 59, 62, 67, 71, 73, 77, 79, 81, 90, 92-94, 97, 99, 108, 119
 — *cubensis*, 43, 53, 61, 77, 108
 — *elliptica*, 42, 45, 53, 61, 64, 77, 81, 89, 106
 — *involucrata*, 109
 — *marmorata*, 61
 — *monantha*, 61, 62, 77, 89, 97
 — *nitens*, 43, 47, 61, 89, 107
 — *parvifolia*, 61, 77, 78, 89
 — *sessilifolia*, 43, 61, 89, 107
 — — *subsp. shaferi*, 43, 77, 107
 — — var. *shaferi*, 78
 — *shaferi*, 89
 — *uliginosa*, 43, 61, 77, 89, 107
Scorpidium turgescens, 194, 196
Securinega bailloniana, 434
 — *obovata*, 434
Selaginella apoda, 180
 — *rupestris*, 180
 — *selaginoides*, 180, 202, 206
Shepherdia, 203, 209
 — *canadensis*, 183, 193, 195, 203, 206
Sibbaldia, 217
 — *procumbens*, 183, 189, 202, 203, 206
Siemensia, 41, 43-45, 48, 50-52, 55, 57, 59, 60, 62, 67, 69, 71, 73, 77, 79, 81, 90-94, 97, 99, 119
 — *pendula*, 43, 45, 47, 53, 55, 57, 61, 74, 79, 80, 89, 107
Silene acaulis, 187
 — — var. *exscapa*, 187, 189, 202, 203, 206
Sinofranchetia, 303
 — *chinensis*, 303
Sinojackia, 8, 13, 14, 19, 21
 — *henryi*, 11, 24
 — *rehderiana*, 11, 24
 — *xylocarpa*, 11, 24, 26
Slackia, 313
Solandra grandiflora, 106
Sparganium, 174, 216
Spiranthera pentaphylla, 239
SPONGBERG, STEPHEN A. *Cercidiphyllaceae*
 Hardy in Temperate North America, 367-376
SPONGBERG, S. A., and I. H. BURCH. *Lardizabalaceae* Hardy in Temperate North America, 302-315
Stauntonia, 303
Stegnogramme ehrenbergiana, 474
Stenophyllum antillanum, 322
STEVENSON, DENNIS WM. Systematic Anatomy of Bahamian Species of *Bursera* (Burseraceae), 163-165
Stictocardia, 220, 265, 266
 — *campanulata*, 266
 — *tiliifolia*, 265, 266
Sturrock, David (1893-1978) — Mentor and Friend, 1-7
Styracaceae, Leaf Anatomy and Venation Patterns of the, 8-37
Styracaceae, 8-37
Styrax, 8, 11, 14, 18, 19, 21
 — sect. *Eustyrax*, 8
 — sect. *Foveolaria*, 8
 — sect. *Styrax*, 8
 — — ser. *Imbricatae*, 8
 — — ser. *Valvatae*, 8
 — *agrestis*, 11, 24, 26
 — *ambiguus*, 12, 13, 24
 — *americanus*, 14, 15, 26
 — — var. *americanus*, 11, 24
 — — var. *pulverulentus*, 11, 24
 — *argenteus*, 12-15
 — — var. *argenteus*, 11, 24, 26
 — — var. *hintonii*, 11, 24
 — — var. *ramirezii*, 11, 24
 — *benzoin*, 11, 13, 24, 26
 — *camporum*, 11, 12, 24
 — *cespedesii*, 12, 13, 24
 — *conterminus*, 12, 13, 24
 — *crotonoides*, 12-14, 24
 — *davillifolius*, 12, 24
 — *faberi*, 11, 24, 26, 27
 — *fanshawei*, 12, 24
 — *ferrugineus*, 12, 13, 24, 27
 — *formosanus*, 11, 24
 — *glaber*, 11, 24, 27
 — *glabratus*, 12, 24, 26
 — *glabrescens*, 12-14
 — — var. *glabrescens*, 11, 24
 — — var. *pilosus*, 11, 24
 — *grandifolius*, 11, 24
 — *henryi*, 11, 13, 24
 — *heteroclitus*, 12, 13, 24
 — *hypargyreus*, 11, 24
 — *hypoglaucus*, 11, 13, 25
 — *jaliscanus*, 12, 13, 25
 — *japonicus*, 11, 14, 25-27
 — *langkongensis*, 11, 13, 25

- Styrax latifolius*, 12, 13, 25
 — *longifolius*, 12, 13, 25
 — *macrocalyx*, 12, 13, 25
 — *macrotrichus*, 12-14, 25, 27
 — *martii*, 12, 13, 25
 — *micrasterus*, 12, 14, 25-27
 — *microphyllus*, 12, 25
 — *obtusifolius*, 11, 25
 — *ochraceus*, 12, 14, 25-27
 — *officinalis*, 8, 13
 — — var. *fulvescens*, 11, 25
 — — var. *redivivus*, 11, 25, 26
 — *ovatus*, 12, 13, 25
 — *pallidus*, 12, 25
 — *paralleloneurus*, 11, 13, 14, 25
 — *pearcei*, 12, 25
 — *pentlandianus*, 12, 13, 25
 — *philadelphoides*, 11, 25, 27
 — *platanifolius*, 11, 13-15, 25
 — *pohlii*, 12, 25, 26
 — *poissonianus*, 12-14, 25
 — *portoricensis*, 11, 14, 25, 27
 — *pseudargyrophyllus*, 12-14, 25, 27
 — *serrulatus*, 12, 13, 25, 27
 — *subcordatus*, 12, 13, 25
 — *subcrenatus*, 11, 13, 14, 25
 — *suberifolius*, 11, 13, 14, 25, 26
 — *sumatranus*, 11, 13, 14, 25
 — *yapobodensis*, 12, 13, 25
SYKES, W. R., and P. J. GARNOCK-JONES.
 A New Combination in *Syzygium* for
Eugenia maire (Myrtaceae) of New
 Zealand, 396-401
Symplocaceae, 9, 10, 332, 338, 341
**Systematic Anatomy of Bahamian Species
 of Bursera** (Burseraceae), 163-165
Syzygium for Eugenia maire (Myrtaceae)
 of New Zealand, A New Combination
 in, 396-401
Syzygium, 396-401
 — *maire*, 400
**Taxonomic Status and Distribution, Pinus
 maximinoi**, Its, 386-395
Tectona grandis, 4
Temperate North America, Cercidiphyllaceae Hardy in, 367-376
Temperate North America, Lardizabalaceae Hardy in, 302-315
Tepuia, 477
Terminthodia, 127, 128, 130
 — *lanceolata*, 133, 137, 144
 — *obovata*, 133, 134, 137, 143
 — *oppositifolia*, 128, 133, 134, 136, 143
 — *orbiculata*, 133, 137, 144
 — *rotundifolia*, 149
 — *schultzei-leonhardi*, 133, 145
Terminthodia treubiana, 133, 137, 145
 — *viridiflora*, 127, 128, 130, 133, 135, 139
Tetracentraceae, 367
Tetracentron, 332
Tetracentronites panochensis, 330, 332
Tetractomia (Rutaceae), A Revision of
 the Genus, 127-153
Tetractomia, 127-153
 — *acuminata*, 133
 — *acuminatum*, 136, 142
 — *barringtonioides*, 129, 131, 132, 146, 147
 — *beccarii*, 127, 131, 133, 136, 140
 — *holttumi*, 133
 — *holttumii*, 139
 — *kostermansii*, 129, 131, 132, 147-149
 — *lanceolata*, 133
 — *latifolia*, 133
 — *latifolium*, 135, 140
 — *lauterbachiana*, 134
 — — *f. pumila*, 134
 — *lauterbachianum*, 143
 — — *f. pumilum*, 136, 145
 — *majus*, 127, 129-132, 145
 — *montana*, 133
 — *montanum*, 135, 141
 — *obovata*, 133, 134
 — *obovatum*, 136, 142
 — *oppositifolia*, 134
 — *orbiculata*, 134
 — *pachyphylla*, 133
 — *pachyphyllum*, 136, 142
 — *parviflorum*, 135, 140
 — *philippinense*, 133, 136, 142
 — *rotundifolia*, 149
 — *rotundifolium*, 129, 131, 132, 147, 149,
 151
 — *roxburghii*, 127, 131, 133, 134
 — *schultzei-leonhardi*, 134
 — *solomonense*, 129, 131, 132, 150, 151
 — *tetrandra*, 132, 133
 — *tetrandrum*, 127, 129, 131-145, 149
 — *treubiana*, 134
Tetramerista paniculata, 145
Thalictrum, 187
 — *alpinum*, 187
Theaceae, 9, 10, 332, 335, 336, 338, 341,
 342
Theophrastaceae, 159
Thogsennia, 42-45, 48, 50-52, 55, 57, 59,
 62, 69, 71, 73, 77, 91-94, 98, 111, 113,
 116, 117
 — *lindeniana*, 43, 47, 54, 56, 61, 67, 78,
 80, 81, 89, 90, 97, 107, 116-118
**THOMSON, PAUL M., and ROBERT H.
 MOHLENBROCK.** Foliar Trichomes of
Quercus Subgenus *Quercus* in the
 Eastern United States, 350-366

- THOMPSON, GARY G., and NORTON G. MILLER. Boreal and Western North American Plants in the Late Pleistocene of Vermont, 167-218
- Three-leaflet akebia, 309
- Thuja*, 174, 178, 182, 197, 199, 201, 202
- Thyella macrocephala*, 236
— *tamnifolia*, 236
- Timmia austriaca*, 194
- Tortella inclinata*, 194
- Tradescantia cumanensis*, 298
— *filiformis*, 297, 298
— *multiflora*, 297, 298
- Tresanthera*, 57, 59, 79, 81
— *pauciflora*, 58
- Trichachne affinis*, 320
- Trichomes of *Quercus* Subgenus *Quercus* in the Eastern United States, Foliar, 350-366
- Tripogandra*, 297, 298
— *floribunda*, 297
- Trochodendraceae, 367
- Trochodendron*, 332
- Tsuga*, 174, 216
— *canadensis*, 173
- Turbina*, 220, 266
— *corymbosa*, 266, 269
- Turks Islands, New Species and Varieties from the Bahamas, Caicos and, 154-162
- Typha*, 174
— *latifolia*, 216
- Ulmus*, 174, 216
- United States and Mexico, Notes on the Genus Polygala in the, 504-514
- Upper Cretaceous of Central California, Dicotyledonous Wood from the, 323-349
- Vaccinium*, 194, 493, 494
— *angustifolium*, 168, 194
— *macrocarpon*, 168, 190
— *Oxycoccus*, 194
— *uliginosum*, 168, 194, 206
— var. *alpinum*, 193-195, 202
— *vacillans*, 194
- Venation Patterns of the Styracaceae, Leaf Anatomy and, 8-37
- Vermont, Boreal and Western North American Plants in the Late Pleistocene of, 167-218
- Viburnum*, 186
— *edule*, 186
— *trilobum*, 186
- WEBSTER, GRADY L. A Revision of *Margaritaria* (Euphorbiaceae), 403-444
- Weinmannia*, 342
- WENDT, TOM. Notes on the Genus Polygala in the United States and Mexico, 504-514
- West Indies, A New Combination in *Bulbostylis* from the, 322
- West Indies, A New *Herissantia* (Malvaceae) from the, 316-319
- Winteraceae, 332
- Wood from the Upper Cretaceous of Central California, Dicotyledonous, 323-349
- Woodsia*, 180
— *ilvensis*, 180
- Wurtzia*, 409
— *tetracocca*, 409, 422
- Xanthosoma*, 288, 289
— *atrovirens*, 288, 289
— *belophyllum*, 289
— *caracu*, 288
— *hastifolium*, 287
— *jacquinii*, 288
— *peregrinum*, 289
— *robustum*, 289
— *roseum*, 289
— *sagittifolium*, 287-289
— *undipes*, 288
- Xiphidium*, 299
- Zenobia*, 477, 493
- Zephyranthes*, 296
— *atamasco*, 295
— *aurea*, 295, 296
— *citrina*, 295, 296
— *grandiflora*, 296
— *longifolia*, 296
— *puertoricensis*, 296
— *tubiflora*, 296
— *tubispatha*, 296
- Zygospermum*, 403, 408
— *zeylanicum*, 408, 427